GENERAL PURPOSE & SPECIALIST TOOLS

HAND TOOLS

STEPS & LADDERS

SITE TOOLS & EQUIPMENT

FIBRE OPTIC TOOLS

NIPPERS DIAGONAL CUTTING Diagonal Side Cutters for general purpose work GT3080 Nippers Diag 5" GT3204 Nippers Diag 6 1/2"

STRIPPER WIRE NO.2

GT3132

Adjustable wiring plier used to re-

move the outer insulation of cables,



NIPPERS DIAGONAL CUTTING WITH SPRING

Heavy duty spring assisted side cutters GT3079



STRIPPER WIRE NO.2 A high quality version of GT3132 GT3133



PLIERS WIRING NO.2 General purpose wiring pliers GT3089



PLIERS WIRING NO.2 A high quality version of GT3089 GT3090



PLIERS WIRING NO.3 Long Nose version of Pliers Wiring No.2 GT3090



PLIERS FENCING General purpose fencing plier for removal of nails GT3080



PLIERS COMBINATION 8" Combination plier with serrated jaws incorporating a side citter GT3082



PLIERS ROD SWEEP Used on Rods Duct with latch type connectors GT3087



PLIERS STRAPPING GT3088 PLIERS CRIMPING 8B Crimping tool for Connectors Wire Insulated, spring assisted with cutting blade GT3083



PINCERS 7" General purpose pincer plier, supplied with plain handles **GT3081**



STRIPPER CABLE SHEATH

Cable sheath stripper, for both longitudinal and circumfrential stripping, available in three sizes:

GT3128 Stripper Cable Sheath 7 (4-16mm)

GT3129 Stripper Cable Sheath 8 (8-28mm)

GT3130 Stripper Cable Sheath 9 (29-35mm)

STRIPPER CABLE SHEATH NO.5

Cable stripper for use on cables between 6-28mm, incorporating a rotating blade **GT3131**





FILE BASTARD 8" As above but with a rectaugular profile GT3030

SPANNER COMBINATION 26mm Double ended combination spanner

26mm GT3203



SPANNER QUICK GRIP NO.1 For use on non-standard nuts and bolts, where a secure grip is required GT3145

CUTTERS CABLE HAND NO.2

Cable cutter for use on non-armoured cables up to a max 25mm diameter GT3024

HACKSAW LARGE General purpose large hacksaw, see below for replacement blades GT3035



HACKSAW JUNIOR 6" Junior type hacksaw, replacement blades available GT3034



HACKSAW BLADES Replacement blades can be ordered in the following pack sizes

GT3033 Blades large (pack 10)

GT3032 Blades Junior (pack 10)

BOWSAW 620MM

Bowsaw 620mm. Replacement blades to be ordered separately GT3007



SCISSORS CRANKED 7" General purpose cranked scissors, used for jointing applications GT3091



SPANNERS ADJUSTABLE Range of adjustable spanners sup-

plied in the following common sizes;

GT3116 Spanner Adjustable 8" GT3114 Spanner Adjustable 10" GT3115 Spanner Adjustable 12"

CUTTERS BOLT Bolt cutters available in 3 sizes:

GT3021 Cutter Bolt No.1 (450mm)

GT3022 Cutter Bolt No.2 (750mm)

GT3023 Cutter Bolt No.3 (610mm)

CUTTER LONGIDUDINAL 1A A high quality longitudinal cable cutter for use

A high quality longitudinal cable cutter for use on sub-duct, supplied complete with case GT3025



KNIFE HACKING Used for stripping lead sheaths from cables GT3050



KNIFE POCKET NO.2 Old style telecoms pocket knife, with fold away curved blade GT3051



KNIFE RETRACTABLE Knife with retractable blade GT3052



KNIPEX CUTTERS

High quality diagonal cutters from the Knipex range.

GT3054 Knipex Cutter 125mm GT3055 Knipex Cutter 140mm GT3056 Knipex Cutter 160mm GT3057 Knipex Cutter 180mm



HAMMER CLUB 2 1/2 lb

General purpose club hammer 2 1/2lb head and can be used with either bolster, brick or cold chisels GT3041



HAMMER PIN A 40z cross-pein hammer typically used on internal wiring applications **GT3045**



HAMMER JOINER supplied in either 12 or 16oz, the smaller used on panel pins, the larger for more general use

GT3042 Hammer Joiner 12oz GT3043 Hammer Joiner 16oz



HAMMER BALL PEIN Ball pein hammers, supplied in two sizes with either wooden or fibreglass handles

GT3037 Wooden 1lb GT3038 Wooden 2lb GT3039 Fibreglass 2lb

HAMMER CLAW 200Z A 20 oz wooden claw hammer GT3040





TAPE MEASURE 3M Retractable steel tape measure 3m in length GT3134



BRADAWL General purpose bradawl, with a blade diameter 1/8" GT3008



SCREWDRIVER CABINET Cabinet style heavy duty screwdrivers, available in 3 sizes

GT3092 Screwdriver Cabinet 12" GT3201 Screwdriver Cabinet 10"

GT3201 Screwdriver Cabinet 10" GT3202 Screwdriver Cabinet 8"

SCREWDRIVERS INSTRUMENT

Specialist range of screwdrivers, specfically designed for teelcoms use, supplied in the following styles and sizes:

Type Handle		Blade Length	Tip Width
GT3094	Screwdriver Inst No.1 Plain	21/2″	1/8″
GT3098	Screwdriver Inst No.2 Plain	2″	3/16"
GT3099	Screwdriver Inst No.3 Fluted	21/2″	1/4″
GT3100	Screwdriver Inst No.4 Plain	6″	5/32″
GT3101	Screwdriver Inst 5A Plain	7″	7/32″
GT3102	Screwdriver Inst No.6 Fluted	8″	9/32″
GT3103	Screwdriver Inst No.9 Plain	3″	3/16"
GT3095	Screwdriver Inst No.10 Plain	4″	1/4″
GT3096	Screwdriver Inst No.11 Fluted	3″	3/16"
GT3097	Screwdriver Inst No.12 Fluted	4″	1/4″

TENSIONER 5A

Cable tie tensioning tool for cable widths 2.5mm to 4.8mm GT3136

TENSIONER 7A For cable sizes 4.8mm to 7.6mm GT3137



KEY PILLAR Multi purpose key, for use on poles, cabinets and posts jointing **GT3049**



WRENCH VICE GRIP A wrench sometimes referred to as a Mole Grip GT3145



SOLDERING IRON NON-ELECTRIC

A 14" manual soldering iron, supplied with a 4 oz copper bit GT3111

GT3110

SOLDERING IRON REST Soldering iron rest complete with clamp GT3112



BRUSH WIRE SCRATCH NO.1 Multi purpose hand brush with stiff wire bristles EU2035

SOLDERING IRON 25 WATT

Soldering iron for use in exchanges,

supplied with plug as appropriate





TOOLBOX 4A A cantilever toolbox complete with two slide out trays. Toolbox approximately 18" in length GT3138



BASKET TOOL Canvas tool bag with reinforced bottom GT3001



BELT POCKET A tool bag complete with pockets and an adjustable waist band GT3002



HANDLAMP WATERPROOF General purpose waterproof hand lamp GT3046

Multi purpose galvanised bowl, used for either bailing or heating water

BOWL GI

GT3006

GT3108




TRANSFORMER TOOL ELECTRIC 3

A transformer for use with 50v soldering irons and wrapper wire terminating No.5 GT3135

CROWBAR NO.1 Steel crowbar with chisel and diamond point, 5' in length GT3019

CROWBAR NO.2 Alternative to Crowbar No.1, supplied with a diamond point and a plain end, 4' 6" in length GT3020



TOOL DRAINING GT3139

SHOVEL STOKING Shovel with flat blade, for general shovelling applications



SPADE TRENCHING Trenching spade, with angled blade, used for digging and back filling GT3113

K&M International Telephone: 01454 250 708

Fax 01454 776 586

5

STEPS SWINGBACK

Swingback Steps certified to BSEN131 and BS2037 Class 1, supplied with double rivitted treads, rigid back legs, and non-slip treads and feet.

GT3122	Step Swingback 4 Tread
GT3123	Step Swingback 5 Tread
GT3124	Step Swingback 6 Tread
GT3125	Step Swingback 7 Tread
GT3126	Step Swingback 8 Tread



STEPS PLATFORM

Platform Steps certified to BSEN131 and BS2037, similar specification to the swingback steps, but includes a large comfortable working platform

GT3117	Step Platform 4 Tread
GT3118	Step Platform 5 Tread
GT3119	Step Platform 6 Tread
GT3120	Step Platform 7 Tread
GT3121	Step Platform 8 Tread



LADDERS ROOF

Specialist Roof Ladders Robust in dseign, and extending from 3.6 metres to 7.1 metres Suitable for use on most commercial vehicles. Supplied as either single or double section.

Double Section

	Length	
	Closed	Open
GT3070	3.6m	6.1m
GT3071	4.1m	7.1m
Single Section		
GT3072	3.6m	3.6m
GT3073	4.1m	4.1m
GT3074	4.6m	4.6m
GT3075	5.1m	5.1m
GT3076	5.6m	5.6m





LADDERS

General purpose trade ladders Theses ladders have extra large comfortable D shaped rungs and secure non slip round moulded feet. Supplied in a range of sizes as either double or triple section kitemarked to BSEN131.

Two Section

I wo Secti	on			
	Heig	Jht		
	Closed	Extended	Weight	Rungs
GT3059	2.41	4.18	9.0kg	8
GT3060	2.91	5.18	10.5kg	10
GT3061	3.41	6.18	14.0kg	12
GT3062	3.91	7.18	16.0kg	14
GT3063	4.41	8.18	20.0kg	16
GT3064	4.91	9.18	23.5kg	18
GT3058	5.41	10.18	29.0kg	20

Three Section

не	gnt		
Closed	Extended	Weight	Rungs
2.41	5.94	16.5kg	8
2.91	7.44	18.5kg	10
3.41	8.94	25.5kg	12
3.91	10.44	28.5kg	14
	Closed 2.41 2.91 3.41	2.415.942.917.443.418.94	ClosedExtendedWeight2.415.9416.5kg2.917.4418.5kg3.418.9425.5kg

11-1-1-1-4



SHEET WATERPROOF NO.1 General purpose waterproof sheet sheet, size 5' x 4' 2" GT3106



SHEET CANVAS

Typically used during jointing type work. Lightweight canvas 5'9" x 5' GT3105

SPOIL SHEET General purpose spoil sheet, supplied with reinforced handles and stitching GT3104



WALLET TOOL NO.3 Quality leather tool case GT3107



METAL DETECTOR Draper metal detector for detection of internal wiring GT3077



SOCKET SET Socket set 21 pieces GT3109



DISPENSER 1A

Cable dispenser for use on small internal wiring applications **GT3173**



WHEEL MEASURING

Measuring Wheel complete with carrying bag and stand. **GT3141**



DIESEL CONTAINER 5 litre diesel fuel container **GT3015**



PETROL CONTAINER 5 litre petrol fuel container **GT3018**



BOTTLE POLYETHYLENE NO.2 10 litre Water Container, coloured black for identification purposes GT3005



OUTRIGGER 30A Outrigger for use with BIX connection system GT3162



OUTRIGGER 31A 3M wiring aid outrigger GT3163



TE7135 PABX Master TE7136

Master

TEST ADAPTORS

Secondary TE7137



Line adaptors to convert a standard data outlet to a bt outlet

K&M International Telephone: 01454 250 708

Fax: 01454 776 586

STRIP DESIGNATION 51A

Desisnation label for use with Strips Connection 237A supplied in packs of 10 GT3171



PROTECTOR MOUNTING 5B Lightening protector holder, can accommodate 10 x fuses **GT3172**



INSERTER WIRE 8A Porta insertion tool, used on Jacks Test GT3156



IINSERTER WIRE 2A

STRIPS CONNECTION A

GT3170

GT3161

10 pair connection strip, for you in Box

Connections and Frames Distribution

Insertion tool for use on Strips Connection 237A

INSERTER WIRE 9A BIX type insertion tool GT3157



2 0 0 0

INSERTER WIRE 10A 3M insertion tool (mustard) **GT3159**

INSERTER WIRE 11A 3M insertion tool (orange) **GT3160**



INSERTER WIRE SID SID type insertion tool GT3158



INSERTER WIRE POUYET (single) Pouyet type insertion tool GT3154

INSERTER WIRE POUYET (double) Dual purpose Pouyet insertion tool GT3155 OUTRIGGER SID SID type Outrigger GT3164



EXTRACTOR 58 Extraction tool for use on the Porta connection system GT3163



OUTRIGGER 25A Metal Krone outrigger 25A GT3166



WRAPPER WIRE TERMI-NATING NO.5 48 Volt wire wrapping tool GT3152



HOLDER/HEADS WRAPPING

GT3151 Holder Head Wrapping No.1

GT3146 Heads Wrapping 4B 0.4 GT3147 Heads Wrapping 4C 0.5 GT3148 Heads Wrapping 4D 0.32 GT3149 Heads Wrapping 4J 0.6/.63 GT3150 Heads Wrapping 3G 0.5



E-mail: enquiries@kandmservices.com

BOX CONNECTION 201D 20 pair connection box, supplied complete with 2 x Strips Connection 237A GT3210



CUTTER TUBE 2A Sub-duct peg type tube cutter GT3027



WRENCH HEXAGON Hexagonal type wrench 2.5mm GT3144



MIRROR PLUMBER General purpose plumbers mirror size 4" x 4" GT3078

BUCKET GALVANISED Galvanised bucket GT3012

BRUSH SASH TOOL

25mm diameter brush

GT3167



LADDER CLAMP Clamp used when fixing ladders to roof of vehicles, supplied complete GT3069

BROOM HEAD/HANDLE Parts to be ordered separately, using

the following codes:

GT3010 Broom Handle GT3011 Broom Head



24 Volt Cordless drill, complete with case, charger 1and one battery GT3200

DRILL BITS SDS Bosch SDS drill bits

GT3240 Drill Bit SDS 5.0mm x 160mm GT3241 Drill Bit SDS 5.5mm x 160mm GT3242 Drill Bit SDS 6.0mm x 160mm GT3243 Drill Bit SDS 7.0mm x 160mm GT3244 Drill Bit SDS 8.0mm x 160mm GT3245 Drill Bit SDS 10.0mm x 160mm GT3246 Drill Bit SDS 12.0mm x 160mm GT3247 Drill Bit SDS 13.0mm x 160mm GT3248 Drill Bit SDS 16.0mm x 270mm



BOSCH DMF10 DETECTOR High spec cable detector for internal use GT3004



K&M International Telephone: 01454 250 708

Fax: 01454 776 586

9

BOX CONNECTION 251/301A

301A 100 pair Connection box, each box can accommodate up to 10 x Strips Connection 237A GT3212 (301A)

251A 50 pair version of Box Connection 301A, with each box accommodating 5 x Strips Connection 237A GT3211 (251A)



TAPE DRAW-IN NO.2 General purpose fish tape GT3250

DRILL BOSCH GBH24VRE





DIAMOND TIPPED FIBRE OPTIC SCRIBES

- Quality fibre optic scribes featuring protective retractable barrel with pocket clip and stainless steel mounted diamond tip in choice of conical or wedge shapes.
- Specially manufactured for 'scratch and pull' scribing technique.
- Wedge shape provides more durable edge.
- DS-60-C: 60 degree cone angle diamond tip
- DS-90-W: 90 degree wedge diamond tip

Cone diamond tip scribe Wedge diamond tip scribe

GT3175 GT3176



SHARPAK SIN BINS

Sharpaks are designed for the safe disposal of used tissues, wipes, gloves, epoxy residues, syringes and fibre off-cuts. The openings are designed to allow cleaved fibre off-cuts to be knocked off or cut fibres dropped directly into Sharpak. Sophisticated safety closure system allows easy access to opening and seals completely after use.

Sin bin 645ml volume SU0	GT3177
Sin bin 6 litre volume SU0	GT3178



PRIOR SCIENTIFIC PRIORSPEC II G00401 MICROSCOPE

Designed for the visual inspection of terminated fibre optic connectors, the PRIOR SCIENTIFIC PriorSpec II G00401 microscope gives x400 magnification necessary to view singlemode fibres.

- The G00201 model giving x200 maginification is also
- available. • Compact and ergonomic design.
- LED illumination of endfaces reduces risk of bulb failure and enhances battery life.
- Powered by 2 x AA batteries.
- Integrated laser safety filter.
- A comprehensive range of adaptors available allows most fibre optic connectors to be viewed.
- Supplied with soft carrry case, batteries, universal 2.5mm connector adaptor and instruction booklet.

Priorspec II x400 microscope G00401	GT3179
Priorspec II x200 microscope G00201	GT3180
2.5mm universal adaptor cap G999	GT3481
1.5mm universal LC/MU adaptor cap G995	GT3182
MT-RJ adaptor cap G997	GT3183

PRIOR SCIENTIFIC G180P POCKET FIBRE MICROSCOPE

An affordable, compact handheld system for the inspection of fibre optic terminations. Providing x100 to x150 zoom magnification, its portability makes it ideal for use in the field or laboratory.

- High contrast and superior image quality.
- Angled illuminator ensures best illumination.
- 2.8V bulb easily replaced, powered by 2xAA alkaline batteries.
- Supplied complete with 2.5mm universal adaptor,
- batteries and bulb.
- Glass 10x/0.18 NA objective lens.

Pocket Fibre Microscope G180P

GT3184

ferrule





MILLER FIBRE OPTIC STRIPPER

- Precision diameter hole and V-opening in blade allow for accurate buffer coating removal.
- Factory set requires no adjustment.
- Prevents scratching or nicking of optical fibre.
 All cutting surfaces are precision formed, hardened, tempered and ground assuring precise buffer removal.

Miller fibre optic stripper FO 103-S 109-93D GT3185

CLAUSS FIBRE OPTIC STRIPPER

- For stripping 250µm buffer coating to expose 125µm cladded fibre.
- 1.0mm diameter stripping hole at tip of tool can be used to strip fibre jacket.
- 140 μm diameter hole and V-opening in blade allows removal of 250 μm buffer coating from 125 μm fibre.
- Pre-set at factory no adjustments needed.
- Will not scratch or nick glass fibre.
- All stripping surfaces are manufactured to precise tolerances to assure clean, smooth strips.
- Comfort-grip ergonomic handles.
- Lock-to-hold tool closed when not in use.

Fibre optic stripper CFS-2

GT3186

MILLER TRI-HOLE FIBRE OPTIC STRIPPER

- Three-hole model performs all common fibre stripping functions in one compact tool.
- Hole for removal of 2 to 3mm fibre jackets.
- Remove 900µm tight buffer to 250µm buffer coating.
- Standard 250 to 125µm stripping.
- Factory set requires no adjustment.
- Prevents scratching or nicking of optical fibre.
- All cutting surfaces are precision formed, hardened, tempered and ground assuring precise buffer removal.

Tri-hole fibre optic stripper FO 103-T-250-J GT3187

CLAUSS NO-NIK WIRE STRIPPERS

- The premier wire stripper for removing insulation from solid or stranded wire without nicking or scratching the conductor.
- Stripping apertures accurate to 0.127mm.
- Simple operation.
- · Insulation being removed protects conductor from stripping blades.
- No adjustments required, each tool made to specific wire sizes.

Clauss No-Nik Stripper	
with Brown handles NN044	GT3188
with Red handles NN203	GT3189
with White handles NN305	GT3190
with Orange handles NN016	GT3191
with Navy handles NN102	GT3192
with Silver handles NN127	GT3193
with Mustard handles NN175	GT3194

ABECO OUTER JACKET CABLE STRIPPER

- Designed for precision stripping a variety of insulation types including rubber, PVC, nylon and cotton.
- Also recommended for cutting copper screening of coaxial cables from 8mm to 25mm overall diameter.
- Adjustable blade depth up to 4.5 mm depth.
- Stripping action is both circumferential, then longitudinal for removal of insulation section at the end or mid-span of wires.
- Blade depth setting can be locked to assure consistent repetitive operations.
- Roller support of cable for smooth stripping action.
- Dimensions 170 x 40 x 27 mm, weight 180g.

Outer jacket cable stripper MK01

GT3195













IDEAL INDUSTRIES TWO-STEP CABLE STRIPPER

Lightweight and inexpensive compact stripper for use with twisted pair wire, tightly wrapped stranded cables, CATV cable, CB antenna cable and other types of flexible power cords from 1/8" to 7/32" overall diameter. Adjustable blades can be set to any depth to ensure nick-free strips. Simple to operate and includes three straight and one round blades.

Two-step cable strippers 1/8" to 7/32" `blue peg style'.

GT3196

GT3197

GT3198

GT3199

MILLER KEVLAR SHEARS

- Lightweight shears ideal for cutting Kevlar strength members found in fibre optic cables.
- Ergonomic moulded handles provide comfort for both right and left-handed users.
- One micro-serrated blade reduces slippage for more positive cutting action.
- Length 140mm, weight 79g.

Kevlar shears KS-1

CLAUSS ELECTRICIAN'S SCISSORS

- All exterior surfaces and interior blade surfaces doubleplated with chrome over nickel to prevent rust and corrosion, the ONLY electrician's scissors that offer this full double protection.
 Every pair totally thru-hardened for years of service.
- Use for splicing wire, cutting harness ties, insulation materials, medium gauge wires, electrical tape and stripping insulation.
- Stripping notches for 19 and 23 gauge wire.
- Scraper and file on back of blade.

Electrician's scissors 925CS

MILLER MAGNI-TWEEZ FIBRE OPTIC TWEEZERS

- Specifically suited to fibre optic applications.
- Integral magnifier improves ability to work with small fibre optic segments.
- Stainless steel construction.
- Length 92mm, weight 20g.

Magni-Tweez fibre optic tweezers MT-1

FIBERTRON MULTI-CURE OVEN

The Multi-Cure oven is designed to uniformly cure the epoxy used in the termination of fibre optic connectors. A thermostat controls the temperature range within 1° C across its 60 - 125° C range. This consistency allows the epoxy to be cured at lower temperatures over a longer period of time, resulting in better productivity and reduced connector loss and virtually eliminiating problems such as fibre cracking, lack of adhesion or brittle epoxy.

The Multi-Cure can cure 24 x ST or FSMA connectors at one time; FC connector type ferrules can also be cured but some users choose to make adaptors to suit their own requirements. Each Multi-Cure is supplied with a fitted 13 Amp plug and dial thermometer.

- Temperature controlled to within +/-1°C.
- Reduces fibre stress and cracking.
- High productivity.
- 24 connectors cured at one time.
- Compact size and light weight.
- Technical specifications

Input power	240VAC, 60Hz, 410mA
Temperature range	60 to 150°C
Temperature control	+/- 1°C
Dimensions	206 x 203 x 80mm (wdh)
Weight	2.5kg

Multi-Cure oven 9561-TO

GT3260







MILLE

E-mail: enguiries@kandmservices.com