

# PRICE LIST

---

valid from 01/2023

HIGH QUALITY **ACOUSTIC** SOLUTIONS  
FOR INTERIORS.



**akustik***plus*



## IMPORTANT INFORMATION

All prices plus VAT valid from January 1st, 2023 until further notice.

**shipping:** shipping/transport costs must be requested on a daily basis, in relation to the order.  
*unless otherwise agreed*

**packaging costs:** Packaging costs must be requested in relation to the order.  
*packaging surcharge is per delivery*

**shipping pallet:** 80,00 € (purchase quantity less than 30 m<sup>2</sup>)  
shipping pallet included from 30 m<sup>2</sup>

**minimum order:**

|                            |                               |
|----------------------------|-------------------------------|
| slimline TREND-COLLECTION: | from 10 m <sup>2</sup>        |
| slimline individual:       | from 30 m <sup>2</sup>        |
| proline individual:        | from 1 board                  |
| mounting clip (slimline):  | 1 packaging unit (á 200 pcs.) |
| mounting rail (proline):   | 1 pc. (á 4.000 mm)            |

Please inquire availability for orders  $\geq 100$  m<sup>2</sup>.

**The terms and conditions of akustik plus Behringen GmbH & Co. KG apply.** The GTC can be found on our website [www.akustik-plus.com](http://www.akustik-plus.com). Please contact us for any further questions.

**We look forward to your project!**

akustik plus Behringen GmbH & Co. KG  
Im Straßfeld 2  
D - 99820 Hörselberg-Hainich

phone: +49 (0) 36254 8659-0  
fax: +49 (0) 36254 8659-55  
mail: [info@akustik-plus.com](mailto:info@akustik-plus.com)





[www.akustik-plus.com](http://www.akustik-plus.com)

## EXPLANATIONS

**perforation:** example  $8/8/3 = 8$  mm distance horizontally and **8 mm** vertically from hole center to hole center with a hole diameter of **3 mm**.

**slitting:** example  $16/2 = 16$  mm distance from groove center to groove center with a groove width of **2 mm**. Corresponds to a bridge width of **14 mm**.



**MADE IN GERMANY**



**CERTIFIED ACCORDING ISO 354**



**ACOUSTICALLY HIGHLY EFFECTIVE**



**SIMPLE ASSEMBLY**







# SLIMLINE TREND-COLLECTION



WELL SELECTED  
ACOUSTIC PANELS  
IMMEDIATELY  
AVAILABLE.



# STOCK PROGRAM - IMMEDIATELY AVAILABLE!

## RANGE OF PRODUCTS

All prices plus VAT for purchases of 10 m<sup>2</sup> or more. Valid from January 1st, 2023 until further notice.

|                |  |   |  |   |  |   |
|----------------|--|---|--|---|--|---|
| 16/3           |  |   |  |   |  |   |
|                | W1000 ST9 melamine<br>MDF B2<br>2.784 x 192 x 16 mm<br>9010-20-16/3-0004<br>124,29 €/m <sup>2</sup> plus VAT | H1334 ST9 melamine*<br>MDF B2<br>2.784 x 192 x 16 mm<br>9010-20-16/3-0005<br>124,29 €/m <sup>2</sup> plus VAT   | H3158 ST19 melamine*<br>MDF B2<br>2.784 x 192 x 16 mm<br>9010-20-16/3-0008<br>124,29 €/m <sup>2</sup> plus VAT | European oak veneer**<br>MDF B2<br>2.784 x 192 x 16 mm<br>9010-20-16/3-0006<br>208,15 €/m <sup>2</sup> plus VAT |  |   |
|                | STRIPES  |   |  |   |  |   |
|                |  | European oak veneer**<br>MDF B2<br>2.784 x 192 x 16 mm<br>9010-20-STR-0002<br>208,15 €/m <sup>2</sup> plus VAT  | H1334 ST9 melamine*<br>MDF B2<br>2.784 x 192 x 16 mm<br>9010-20-STR-0001<br>124,29 €/m <sup>2</sup> plus VAT   | H3158 ST19 melamine*<br>MDF B2<br>2.784 x 192 x 16 mm<br>9010-20-STR-0004<br>124,29 €/m <sup>2</sup> plus VAT   | W1000 ST9 melamine<br>MDF B2 <b>black</b><br>2.784 x 192 x 16 mm<br>9010-20-STR-0005<br>162,11 €/m <sup>2</sup> plus VAT | European oak veneer**<br>MDF B2 <b>black</b><br>2.784 x 192 x 16 mm<br>9010-20-STR-0003<br>245,97 €/m <sup>2</sup> plus VAT |
| INVISIBLE 16/3 |  |   |  |   |  |   |
|                |  | European oak veneer**<br>MDF B2<br>2.784 x 192 x 19 mm<br>9010-20-16/3-0007<br>217,61 €/m <sup>2</sup> plus VAT |  |   |  |   |
| GREEN 24/4     |  |   |  |   |  |   |
|                | silver fir solid***<br>2.940 x 192 x 35 mm<br>9010-30-24/4-0002<br>218,24 €/m <sup>2</sup> plus VAT          | European oak veneer**<br>2.940 x 192 x 32 mm<br>9010-30-24/4-0003<br>265,55 €/m <sup>2</sup> plus VAT           |  |   |  |   |
| ACCESSORIES    |  |   |  |   |  |   |
|                | mounting-clip<br>6010-20-0,4-0001<br>0,29 €/pc. plus VAT<br>ca. 10 Stk./m <sup>2</sup> (VPE: 200 Stk.)       |   |  |   |  |   |

## BENEFITS

HIGH QUALITY  
DESIGN

TOP  
PRICE-PERFORMANCE

EXCLUSIVE  
SURFACES

DELIVERY  
FROM 10 M<sup>2</sup>

FAST  
AVAILABILITY



# slimline acoustic panels individual



Fig: slimline 16/3 | H3158 ST19

## technical specifications

- dimensions:** 2.784 x 192 mm
- thickness:** approx. 16 mm  
approx. 19 mm (INVISIBLE)
- core board:** MDF B2 E1  
acoustically effective drilled counter layer (functional)  
rear side with acoustic fleece black
- surface:** melamine, CPL, veneer (p. 14/15)
- edges:** longitudinal: tongue and groove  
transverse: industrial saw cut
- mounting:** vertical | horizontal  
wall | ceiling

## PRICING

|            |             |                    |          |        |          | excl. VAT Euro/m <sup>2</sup> |                       |                         |
|------------|-------------|--------------------|----------|--------|----------|-------------------------------|-----------------------|-------------------------|
|            | variant     | core board         | length   | width  | surface  | 30-49 m <sup>2</sup>          | 50-149 m <sup>2</sup> | from 150 m <sup>2</sup> |
| SLITTING   | 16/3 [2,4]  | 16 mm<br>MDF B2 E1 | 2.784 mm | 192 mm | melamine | 164,45                        | 149,71                | 124,29                  |
|            | 32/2 [3,4]  |                    |          |        | veneer** | 213,74                        | 198,99                | 188,57                  |
|            | STRIPES [3] |                    |          |        | CPL      | 228,91                        | 214,16                | 192,18                  |
|            | 8/2         |                    |          |        | melamine | 178,61                        | 163,87                | 132,77                  |
|            |             |                    |          |        | veneer** | 225,00                        | 210,29                | 176,13                  |
|            |             |                    |          |        | CPL      | 240,17                        | 225,42                | 190,29                  |
| INVISIBLE* | 16/3        | 19 mm<br>MDF B2 E1 | 2.784 mm | 192 mm | melamine | 220,88                        | 183,61                | 130,50                  |
|            | 32/3        |                    |          |        | veneer** | 270,17                        | 232,90                | 198,03                  |
|            | STRIPES     |                    |          |        | CPL      | 285,34                        | 248,07                | 201,81                  |

\* delivery time on request

\*\* veneer quality: A/B mix-matched  
surface: sanded, raw

minimum order: 30 m<sup>2</sup> (special production) | 10 m<sup>2</sup> (TREND-COLLECTION)

## POSSIBLE VARIANTS



16/3 [2,4]

32/2 [3,4]

STRIPES [3]



8/2



INVISIBLE 16/3



INVISIBLE 32/3 (Fig. MDF black)



INVISIBLE STRIPES (Fig. MDF black)

| surcharge surfaces                      | excl. VAT Euro/m <sup>2</sup> |
|---|-------------------------------|
| veneer quality: plian grain, same color | 14,20                         |
| varnished, colorless, matt              | 19,58                         |
| MDF B2 19 mm black                      | on request                    |
| MDF B1-core board 16/18 mm              | on request                    |

Fig: slimline INVISIBLE 16/3 | Europ. oak veneer







## SOLID WOOD



### technical specifications - solid wood

- dimensions:** 2.940 x 192 mm
- thickness:** approx. 35 mm
- front:** silver fir (solid top layer | finger-jointed)
- surface:** sanded | raw  
roller varnish (UV-hardened | dull matt)
- midlayer:** wood wool absorber and cross pieces
- rear:** plywood (poplar)
- edges:** longitudinal: tongue and groove  
transverse: industrial saw cut
- mounting:** vertical | horizontal  
wall | ceiling

Fig: slimline GREEN 24/4 | silver fir

|            |                           |             |          |        |                  | excl. VAT Euro/m <sup>2</sup> |                       |                         |
|------------|---------------------------|-------------|----------|--------|------------------|-------------------------------|-----------------------|-------------------------|
| variant    | core board                | surface     | length   | width  | thickness        | 30-49 m <sup>2</sup>          | 50-149 m <sup>2</sup> | from 150 m <sup>2</sup> |
| 16/2 [3,4] | plywood (poplar)<br>B2 E1 | silver fir* | 2.940 mm | 192 mm | approx.<br>35 mm | 235,29                        | 220,59                | 198,66                  |
| 24/4 [2,3] |                           |             |          |        |                  |                               |                       |                         |
| 32/2 [3,4] |                           |             |          |        |                  |                               |                       |                         |
| STRIPES    |                           |             |          |        |                  |                               |                       |                         |

\* surface: sanded, raw

minimum order: 30 m<sup>2</sup> (special production) | 10 m<sup>2</sup> (TREND-COLLECTION)

| surcharge surfaces         | excl. VAT Euro/m <sup>2</sup> |
|----------------------------|-------------------------------|
| varnished, colorless, matt | 19,58                         |
| fire-resistant coating     | 99,20                         |
| brushed                    | 10,46                         |



sanded | raw

varnished



Fig: slimline GREEN 24/4 | silver fir

## VENEER



### technical specifications - real wood veneer

- dimensions:** 2.940 x 192 mm
- thickness:** approx. 33 mm
- front:** real wood veneer
- surface:** sanded | raw  
roller varnish (UV-hardened | dull matt)
- midlayer:** wood wool absorber and cross pieces
- rear:** plywood (poplar)
- edges:** longitudinal: tongue and groove  
transverse: industrial saw cut
- mounting:** vertical | horizontal  
wall | ceiling

Fig: slimline GREEN 24/4 | Europ. oak veneer

|            |                           |         |          |        |                  | excl. VAT Euro/m <sup>2</sup> |                       |                         |
|------------|---------------------------|---------|----------|--------|------------------|-------------------------------|-----------------------|-------------------------|
| variant    | core board                | surface | length   | width  | thickness        | 30-49 m <sup>2</sup>          | 50-149 m <sup>2</sup> | from 150 m <sup>2</sup> |
| 16/2 [3,4] | plywood (poplar)<br>B2 E1 | veneer* | 2.940 mm | 192 mm | approx.<br>33 mm | 269,66                        | 254,92                | 232,94                  |
| 24/4 [2,3] |                           |         |          |        |                  |                               |                       |                         |
| 32/2 [3,4] |                           |         |          |        |                  |                               |                       |                         |
| STRIPES    |                           |         |          |        |                  |                               |                       |                         |

\* veneer quality: A/B mix-matched  
surface: sanded, raw

minimum order: 30 m<sup>2</sup> (special production) | 10 m<sup>2</sup> (TREND-COLLECTION)

| surcharge veneer                              | excl. VAT Euro/m <sup>2</sup> |
|---|-------------------------------|
| silver fir (standard   no surcharge)          | 0,00                          |
| European oak, Canadian maple, American walnut | 13,03                         |
| other types of veneer                         | on request                    |

| surcharge surfaces         | excl. VAT Euro/m <sup>2</sup> |
|----------------------------|-------------------------------|
| varnished, colorless, matt | 19,58                         |
| fire-resistant coating     | 99,20                         |



e.g. oak

e.g. maple

e.g. beech



# proline acoustic board individual



Fig: proline classic | Europ. oak veneer

## technical specifications

**dimensions:** 2.800 x 1.320 mm (raw)  
please note usable length/width

**thickness:** approx. 20 mm

**core board:** MDF B2 E1 19 mm  
acoustically effective drilled  
incl. acoustic fleece (black)  
+ counter layer (functional)



core boards T192 (standard)  
T400 (on request)  
T600 (on request)

**surface:** CPL, veneer (p. 14/15) [no melamine]

**edges:** without edge | industrial saw cut

## VARIANTS


classic 3/3/1





**explanation classic:**  
3/3/1 = 3 mm distance horizontally and 3 mm vertically from hole center to hole center with a hole diameter of 1 mm.

**open surface:** 8,7 %  
**holes/m<sup>2</sup>:** 111.111

scale: 2:1




finest 1,8/1,8/0,5



**explanation finest:**  
1,8/1,8/0,5 = 1,8 mm distance horizontally and 1,8 mm vertically from hole center to hole center (45° offset) with a hole diameter of 0,5 mm.

**open surface:** 6,1 %  
**holes/m<sup>2</sup>:** 308.642

scale: 2:1



## PRICING

| MICRO-PERFORATED | variant            | core board         | length                    | width                     | surface | excl. VAT Euro/m <sup>2</sup> |            |              |
|------------------|--------------------|--------------------|---------------------------|---------------------------|---------|-------------------------------|------------|--------------|
|                  |                    |                    |                           |                           |         | 1-9 pcs.                      | 10-39 pcs. | from 40 pcs. |
|                  | classic 3/3/1      | 19 mm<br>MDF B2 E1 | 2.800 mm<br>(UL 2.768 mm) | 1.320 mm<br>(UW 1.290 mm) | CPL     | 228,24                        | 208,28     | 196,22       |
|                  |                    |                    |                           |                           | veneer* | 268,99                        | 248,99     | 236,97       |
|                  | finest 1,8/1,8/0,5 |                    | CPL                       | 262,82                    | 242,82  | 230,80                        |            |              |
|                  |                    |                    | veneer*                   | 306,89                    | 285,97  | 274,87                        |            |              |


UL = usable length  
UW = usable width

\* veneer quality: A/B mix-matched  
surface: sanded, raw

minimum order: from 1 board

| surcharge  | excl. VAT Euro/m <sup>2</sup> |
|--|-------------------------------|
| veneer quality quarter cut, straight grain               | 32,31                         |
| varnished, colorless, matt                               | 19,58                         |
| MDF B1-core board 18 mm                                  | on request                    |
| single-sided decorative CPL classic (furniture board)    | 41,60                         |
| single-sided decorative veneer classic (furniture board) | 84,92                         |
| double-sided decorative CPL finest (furniture board)     | 76,47                         |
| double-sided decorative veneer finest (furniture board)  | 122,90                        |
| RAL/NCS color  | on request                    |


## PRODUCT STRUCTURE



### single-sided structure

veneer | CPL  
core board (MDF)  
acoustic fleece (black)  
counter layer (functional)

core board T192 (standard | formerly T208))



### double-sided structure

veneer | CPL  
core board (MDF)  
acoustic fleece (black)  
rear (analog front)

core board T400



on request

core board T600



on request

The carrier plates are designed for the dimensional requirements in furniture construction. Due to the good reinforcement provided by horizontal bars, they can be perfectly be used as ceiling panels. If no further information is given, we will supply the proline acoustic panel with the T192 core board.



# Accessories

## slimline - mounting clip

| description  | excl. VAT Euro/pc. |
|--|--------------------|
| hardened stainless steel mounting clips<br>approx. 10 pieces/m <sup>2</sup> for slimline acoustic panels<br>200 pieces per packaging unit (PU) | 0,29               |




detailed view: horizontal mounting with mounting clip



detailed view: vertical mounting with mounting clip

- content:** 200 pcs./PU
- usage:** 10 pcs./m<sup>2</sup> (recommended)
- dimensions:** 42 x 45 mm
- material:** stainless steel



mounting situation: ceiling


## proline - mounting rail

| description                               | excl. VAT Euro/pc. |            |             |              |               |
|---|--------------------|------------|-------------|--------------|---------------|
|   | 1-9 pcs.           | 10-49 pcs. | 50-124 pcs. | 125-249 pcs. | from 250 pcs. |
| wall/ceiling rail WL 21/48 (L = 4.000 mm) | 18,24              | 17,10      | 15,71       | 15,00        | 13,91         |
| panel rail PL 16/48 (L = 4.000 mm)        | 16,55              | 15,50      | 14,24       | 13,61        | 12,61         |
| panel rail PL 32/48 (L = 4.000 mm)        |                    |            |             |              |               |


minimum order: from 1 pc.



WL 21/48




PL 16/48




PL 32/48




vertical mounting with spring



detailed view: horizontal mounting with spring



detailed view: vertical mounting with spring




horizontal mounting



# SURFACES



## VENEER REAL WOOD



European Oak

American Walnut

Canadian Maple


If no further information is given, we provide all veneer variants in the joining-technique **mix-matched** as a standard. This underlines the naturalness of the material.



With the **exception** of the products in the slimline **TREND COLLECTION**, the veneer surfaces are **raw sanded**.

Alternatively, we also offer a veneer finish with UV-hardened roller varnish (colorless | dull matt). This protects the veneer from external impact and ensures that there are fewer light reflections on the real wood surface.

## CPL/MELAMINE WOOD REPRODUCTION



H1115 ST12 bamenda greige

H1145 ST10 bardolino oak natural

H1277 ST9 lakeland acacia light


H1334 ST9 sorano oak natural light

H3860 ST9 hard maple Champagne



The decors shown here are high-quality wood **reproductions**. The CPL laminate used is **0.6 mm** or **0.8 mm** thick, depending on the version. All decors have a **structured** surface for a high-quality and natural feel.

## CPL/MELAMINE SHADES OF WHITE




W980 ST2 platinum white

W980 ST15 platinum white

W1000 ST9 premium white

## CPL/MELAMINE COLORS



U702 ST9 cashmere grey


U708 ST9 light grey

U727 ST9 stone grey

U960 ST9 onyx grey


U999 ST2 black

## SPECIAL CPL SURFACES



P1000 W paintable SM

## MELAMINE EXCLUSIVE FOR THE TREND-COLLECTION



H3158 ST19 vicenza oak grey



Other decors and veneers on request.

### additional information for structures:

|       |                    |
|-------|--------------------|
| ST2:  | Smoothtouch Pearl  |
| ST9:  | Smoothtouch Matt   |
| ST10: | Deepskin Rough     |
| ST12: | Omnipore Matt      |
| ST15: | Smoothtouch Velvet |



---

# YOUR WAY TO US

---

akustik plus Behringen GmbH & Co. KG  
Im Straßfeld 2  
D - 99820 Hörselberg-Hainich

phone: +49 (0) 36254 8659-0  
fax: +49 (0) 36254 8659-55  
mail: [info@akustik-plus.com](mailto:info@akustik-plus.com)



[www.akustik-plus.com](http://www.akustik-plus.com)

**akustik***plus*